

Hergestellt und Abgefüllt in Deutschland!



СТИРИНГ
ТРЕЈД



		(.)
PENNASOL SUPER DYNAMIC SAE 15W-40	208 L	245,00
API SJ/CF-4/CF ACEA: A2/B3/A3/B4, MB 228.1,229.1 - MAN 271	60 L	268,00
VW 505.00 - VOLVO VDS - MTU	20 L	273,00
	4x5 L	278.00 (1390)
	4x4 L	295.00 (1180)
	12x1 L	310,00
PENNASOL SUPER DYNAMIC SAE 20W-50	208 L	250,00
API SJ/CF-4/CF ACEA: A2/B3/A3/B4, MB 228.1,229.1, MAN 271	60 L	273,00
VW 505.00, VOLVO VDS, MTU	20 L	278,00
	4x5 L	286.00 (1430)
	4x4 L	305.00 (1220)
	12x1 L	325,00
PENNASOL TURBO SUPER SAE 15W-40	208 L	263,00
ACEA: A3/B3, A3/B4, E7, API SL/CI-4-CF, Volvo VDS-3	60 L	294,00
MTU 2, MB 228.3, 229.1, MAN M 3275, RENAULT RVI RLD-2, MACK EO/M+ /T10	20 L	305,00
Global DHD-1, Allison C4, Cummins CES 20076, 77, 78, Caterpillar ECF-1, Mack EO-M Plus	4x5 L	310,00
PENNASOL TURBO SUPER SAE 20W-50	208 L	273,00
ACEA: A3/B3, A3/B4, E7, API SL/CI-4-CF, Volvo VDS-3	60 L	310,00
MTU 2, MB 228.3, 229.1, MAN M 3275, RENAULT RVI RLD-2	20 L	315,00
Global DHD-1, Allison C4, Cummins CES 20076, 77, 78, Caterpillar ECF-1, Mack EO-M Plus	4x5 L	320,00
MACK EO/M+ /T10		
		(.)
PENNASOL SUPER LIGHT SAE 10W-40	208 L	260,00
API SL/CF, ACEA: A3/B3,A3/B4, MB 229.1, VW 501.01/505.00	60 L	280,00
BMW Special Oil	20 L	290,00
	4x5 L	298.00 (1490)
	4x4 L	320.00 (1280)
	12x1 L	350,00
		(.)
PENNASOL SUPER PACE SAE 5W-40	208 L	330,00
ACEA: A3/B3,A3/B4, API SM/CF, MB 229.3, VW 502.00/505.00	60 L	350,00
Opel GM-LL-B-025, BMW LL-98, Porsche A40, Renault RN 700, RN710	20 L	360,00
	4x5 L	370.00 (1850)
	4x4 L	390.00 (1560)
	12x1 L	415,00
PENNASOL SUPER PACE SPORT SAE 5W-50	208 L	395,00
ACEA: A3/B3,A3/B4, API SM/CF, MB 229.3, VW 502.00/505.00	60 L	420,00
Opel GM-LL-B-025, BMW LL-98, Porsche A40, Renault RN 700, RN710	20 L	425,00
	4x5 L	460.00 (2300)
	12x1 L	520,00

Hergestellt und Abgefüllt in Deutschland!



PENNASOL SUPER SPECIAL SAE 5W-30	208 L	420,00
ACEA: A1/B1 (04), API SL, ILSAC GF-1/GF-2	60 L	435,00
Ford WSS-M2C-912A - 913A/B, Jaguar WSS-M2C913-B	20 L	450,00
	4x5 L	470.00 (2350)
	12x1 L	525,00

PENNASOL MID SAPS SAE 5W-30 C3	208 L	470,00
ACEA: C3, A3/B4-04#2,API SN,API CF	60 L	510,00
VW Norm 502.00/505.00/505.01	20 L	520,00
MB 229.31,MB 229.51	4x5 L	550.00 (2750)
BMW Longlife- 04	12x1 L	590,00

PENNASOL MID SAPS PD SAE 5W-40 C3	208 L	470,00
ACEA: C3, A3/B4-04#2,API SN,API CF	60 L	510,00
VW Norm 502.00/505.00/505.01,Porsche A40	20 L	520,00
MB 229.31,MB 229.51,BMW Longlife- 04	4x5 L	550.00 (2750)
Renault RN 0700, RN 0710,Fiat 9.55535-52	12x1 L	590,00
dexos TM 2,FORD M2C-917A (VW-Motor)		

PENNASOL LONGLIFE III SAE 5W-30 C3	208 L	550,00
ACEA: A3/B3, A3/B4, C3,	60 L	580,00
FBMW LL-04, MB 229,51, VW 504.00/507.00	20 L	590,00
	4x5 L	599.00 (2995)
	12x1 L	650,00

PENNASOL HIGHTEC SAE 0W-40	208 L	550,00
ACEA: A3/B3,A3/B4, API SM/CF, MB 229.3,MB 229.5, VW 503.01,502.00,505.00	60 L	570,00
BMW Longlife- 04, Porsche (bez Cayenne V6), Renault RN710	20 L	580,00
	4x5 L	600.00 (3000)
	12x1 L	650,00

PENNASOL SUPER EXTRA SAE 5W-20	208 L	550,00
ACEA: A1/B1,API SN/CF,	60 L	570,00
ILSAC GF-5,Ford WSS-M2C945-A,WSS-M2C930-A	20 L	580,00
General Motors-GM 6094M,dexos1	4x5 L	600.00 (3000)
Chrysler MS-6395	12x1 L	650,00

PENNASOL SUPER EXTRA SAE 0W-20	208 L	600,00
ACEA: A1/B1,API SN/CF,	60 L	620,00
ILSAC GF-5,Ford WSS-M2C945-A,WSS-M2C930-A	20 L	630,00
General Motors-GM 6094M,dexos1	4x5 L	650.00 (3250)
Chrysler MS-6395	12x1 L	700,00

PENNASOL LIGHTRUN 2000 SAE 10W-40	208 L	300,00
ACEA: A3/B4/, A3/B4, E7, API SL/CI-4 - VOLVO VDS-3	60 L	330,00
MTU 2, MB 228.3, 229.1, MAN M 3275	20 L	335,00
Global DHD-1, Mack EO-M Plus	4x5 L	340.00 (1700)
	12x1 L	390,00

PENNASOL PERFORMANCE TRUCK SAE 10W-40	208 L	395,00
ACEA: E7, E4, API CI-4 - VOLVO VDS-3	60 L	430,00
MTU DDC Type 3, MB 228.5, MAN M 3277, Deutz DQS III-05	20 L	450,00
Renault Truck RXD/RLD-2, Mack EO-M Plus, Cummins CES 2007778		

Hergestellt und Abgefüllt in Deutschland!



PENNASOL LIGHTTEC SAE 10W-40	208 L	420,00
ACEA: E7, E6 - EURO 4, 5 Norm	60 L	470,00
MB 228.51, MAN CRT,3271-1,M 3477, Deutz DQS III-05, Renault Truck RXD,MTU DDC Type 3.1,VOLVO VDS-3	20 L	490,00

PENNASOL POWER TRUCK SAE 10W-40	208 L	440,00
ACEA E9-08 (Issue 2), API CJ-4, API SN, EURO 4, 5, 6 Norm	60 L	490,00
MB 228.5, Volvo VDS-3, MAN M 3277, MTU Type 3, Mack EO-N, EO-M Plus, Renault Trucks RXD/ RLD-2, Cummins CES 20076, Caterpillar ECF-2, Deutz DQC IV-10	20 L	510,00

PENNASOL PERFORMANCE TRUCK PREMIUM SAE 5W-30	208 L	590,00
ACEA E7-08 (Issue 2), ACEA E4-08 (Issue 2), API CI-4, EURO 4, 5, 6 Norm	60 L	610,00
MB 228.5, Volvo VDS-3, MAN M 3277, MTU Type 3, Mack EO-N, EO-M Plus, Renault Trucks RXD/ RLD-2, Cummins CES 20076, Caterpillar ECF-2, Deutz DQC IV-10	20 L	620,00

PENNASOL LIGHTTEC PREMIUM SAE 5W-30	208 L	610,00
ACEA E6, ACEA E7, ACEA E9, API CJ-4API SN, EURO 4, 5, 6 Norm	60 L	640,00
JASO DH-2, MB 228.51, MB 228.31, MAN M 3477, M 3271-1, MTU Type 3.1, Volvo VDS-4, VDS-3, CNG Renault Trucks RLD-3, RLD-2, RXD, RGD, Mack EO-O PP, EO-N, EO-M Plus Cummins CES 20081, Caterpillar ECF-3, ECF-2, ECF-1-a, Deutz DQC IV-10 LA	20 L	650,00

PENNASOL RASENMÄHEROEL SAE 30	208 L	195,00
4-	1L	295,00



PENNASOL TWO STROKE SPEED	(.)	
API TC,ISO-L-EGD,TISI,JASO FC,Piaggio SI,Husqvarna	208 L	300,00
	60 L	330,00
	20 L	335,00
	12x1 L	420,00
PENNASOL TWO STROKE UNIVERSAL	208 L	250,00
API , B,TC,NMMA TC-W	60 L	260,00
	20 L	275,00
	12x1 L	350,00

Hergestellt und Abgefüllt in Deutschland!



СТІРІНГ
T P E J Δ



	()	()
PENNASOL MULTIPURPOSE GEAR OIL GL 4 SAE 80W	208 L	315,00
API GL-4, MB 235.1, MAN 341 Z-1	60 L	330,00
ZF TE-ML 16A, 17A, 19A, 02, 3	20 L	340,00
	12x1 L	380,00
PENNASOL HYPOID GEAR OIL GL 5 SAE 90	208 L	350,00
API GL-5, MB 235.0, MAN 342 M1, MIL-L-2105D, Volvo 97310, DAF, Renault	60 L	370,00
ZF TE-ML 05A, 16C, 17B, 19B (SAE 90), ZF TE-ML 02B, 17A (SAE 80W)	20 L	385,00
PENNASOL MULTIPURPOSE GEAR OIL GL 5 SAE 80W-90	208 L	355,00
API GL-5, MB 235.1, MAN 342 M1	60 L	390,00
ZF TE-ML 16A, 17A, 19A, 02, 3	20 L	400,00
MIL-L-2105D, Volvo 97310, DAF, Renault	12x1 L	430,00
PENNASOL MULTIGRADE HYPOID GEAR OIL GL 5 SAE 85W-140	208 L	360,00
API GL-5	60 L	400,00
MIL-L-2105D, Volvo 97310, DAF, Renault	20 L	410,00
PENNASOL MULTIPURPOSE GEAR OIL GL 4 SAE 75W-90	208 L	470,00
API GL-4, MB 235.1, MAN 341 Z-1	60 L	500,00
	20 L	510,00
	12x1 L	580,00
PENNASOL MULTIPURPOSE GEAR OIL GL 5 SAE 75W-90	208 L	490,00
API GL-5, MB 235.0, MAN 342 M-1, MIL-L-2105 D	60 L	520,00
	20 L	530,00
	12x1 L	610,00
ATF	()	()
PENNASOL SUPER FLUID ATF 3000	208 L	330,00
Ford Mercon, GM Dexron III-H; MB 236.1, 236.5, Allison C-4; Caterpillar TO-2	60 L	350,00
ZF-TE-ML 03D, 04D, 09, 11, MAN 339 Typ Z-1, V-1; Voith Liste 55.6335	20 L	360,00
	12x1 L	420,00
PENNASOL SUPER FLUID ATF 43 A	208 L	280,00
GM Motors Type A; MB 236.2, Allison C-4; Volvo 97325	60 L	330,00
	20 L	340,00
	12x1 L	380,00
PENNASOL SUPER FLUID TYP P/CN	208 L	310,00
GM Dexron II-D; MB 236.1, MB 235.6 Allison C-4; Caterpillar TO-2	60 L	340,00
ZF-TE-ML 02F, 03D, 04D, 09, 11, 14A, 17C	20 L	350,00
	12x1 L	410,00
PENNASOL SUPER FLUID ATF ASIA	208 L	/
DEXRON® III-H, II-D, Toyota Typ T, T-II, T-III, T-IV, Typ D-2, JASO M 315 Type 1A, Nissan Matic Fluid C, D, J	60 L	/
Mitsubishi SP-II, SP-III, Daihatsu Alumix ATF Multi, Suzuki ATF Oil, ATF Oil Special, Subaru ATF	20 L	
Mazda ATF D-III, ATF M-3, Isuzu Besco ATF-II, ATF-III, Hyundai, Kia DEXRON® III-H, II-D	12x1 L	650,00
GM Motors Type A Suffix A (TASA), MERCON® Allison C-4 (level)		

Hergestellt und Abgefüllt in Deutschland!



СТИРИНГ
ТРЕЈД

PENNASOL SUPER FLUID ATF 6000

208 L /

DEXRON® VI

60 L /

20 L /

12x1 L 590,00



HLP



HLP

(.)

PENNASOL HYDRAULIKOEL HLP ISO-VG 32

208 L 190,00

HLP DIN 51524 part 2, Sperry Vickers I-286-S, M-2950-S, FZG-Test A 8.3/90 12

60 L 210,00

Bosch Rexroth, SEB 181222

20 L 220,00

PENNASOL HYDRAULIKOEL HLP ISO-VG 46

208 L 195,00

HLP DIN 51524 part 2, Sperry Vickers I-286-S, M-2950-S, FZG-Test A 8.3/90 12

60 L 215,00

Bosch Rexroth, SEB 181222

20 L 225,00

PENNASOL HYDRAULIKOEL HLP ISO-VG 68

208 L 210,00

HLP DIN 51524 part 2, Sperry Vickers I-286-S, M-2950-S, FZG-Test A 8.3/90 12

60 L 230,00

Bosch Rexroth, SEB 181222

20 L 240,00

PENNASOL HYDRAULIKOEL HLP ISO-VG 100

208 L 220,00

HLP DIN 51524 part 2, Sperry Vickers I-286-S, M-2950-S, FZG-Test A 8.3/90 12

60 L 250,00

Bosch Rexroth, SEB 181222

20 L 260,00



г

(.)

PENNASOL SCHALUNGSOEL U 18 F /HELL/GRAPHITIERT

208 L 190,00

60 L 210,00

20 L 220,00

3 (,), ()

PENNASOL SPEZIAL-HAFTOEL ISO VG 68

208 L 240,00

60 L 270,00

20 L 290,00

PENNASOL SPEZIAL-HAFTOEL ISO VG 150

208 L 250,00

60 L 280,00

20 L 300,00

Hergestellt und Abgefüllt in Deutschland!



PENNASOL INDUSTRIE-GETRIEBEÖL CLP 100	208 L	250,00
/	60 L	/
DIN 51517 Teil 3	20 L	/
AIST 224 (US Steel), David Brown S1.53.101, Cincinnati EP, AGMA 9005-E02		
FE8 Verschleiß-Test - (DIN 51819-3)		

PENNASOL INDUSTRIE-GETRIEBEÖL CLP 150	208 L	260,00
/	60 L	/
DIN 51517 Teil 3	20 L	/
AIST 224 (US Steel), David Brown S1.53.101, Cincinnati EP, AGMA 9005-E02		
FE8 Verschleiß-Test - (DIN 51819-3)		

PENNASOL SUPER SAW	208 L	200,00
- , , , , ,	60 L	250,00
	20 L	260,00
	5L	280,00
	1L	300,00

		(.)
PENNASOL KALTREINIGER	20 L	490,00

Antifreeze		(.)
PENNASOL P12+	208 L	300,00
complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	20 L	310,00
MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D	1,5 L	280,00
Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA		